

Chicken Transport Crate

Product name: Sell colour and size customizable plastic poultry transfer cage, chicken plastic transfer cage / chicken transport crate, size:98cm*58cm*27cm, weight:7.8kg,



- Patent Number.
- Color and size customized,
- The material is 100% Pure raw PP,
- Folding chicken cage and convenience to use,
- High corrosion resistance, storing and transportation,
- Cleanable, No-poisonous hencoop built for the Most Stringent Sanitary Demands.
- Recyclable and washable.

Application: Slaughter houses, transport contractors carrying live chickens, ducks, rabbits, pigeons, pheasants and other live poultry.

Specification

- Equipment Use: transport turnover cage
- Dimensions(LXBXH): 98cmX58cmX27cm
- Weight: 7.8 Kg
- Colour: Yellow / Red / or as ur special request
- Bird Type: Chicken
- Country of Origin: Made in India

Images



Chick Guard

Chick Covering Cap. 600 day Old Chick

Size : 30 L (feet) x 15 " H (inch) x 1.5 mm Thick

Material : PP - CP Heavy Duty Sheet with UV Stabilized.

~ Can be washed/ Rolled & easy to move

~ customize length available on order

- Chick Capacity : 600
- Material : Plastic
- Dimension(LXBXH): 30 " (L) x 15 " (H)
- Usage/Application Poultry Farm

Images



Chick Guard

Chick Covering Cap. 300 Day Old Chicks

Size : 15 L (Feet) x 15 " H (inch) x 1.5 mm Thick

Material : PP - CP Heavy Duty Sheet with UV Stablised

~ can be Washed / Rolled & easy to move

~ Customize length available on order

- Equipment Use :Handling/Transport
- Chick Capacity :300
- Material :Plastic
- Dimension(LXBXH):15 L (Feet) x 15 " H (inch) x 1.5 mm Thick
- Bird Type :Chicken
- Usage/Application :Poultry Farm

Image



Debeaker

Manual Debeaker

Electric Volt: 60-240

Operation: Beak / Trim / Caulterizes

Type: Manual Paddle

Stand Available on request at extra cost

The DEBEAKER beak trims and cauterizes in a single operation. this inhibits bleeding and beak regrowth. Birds usually begin eating right after trimming. Every day the debeaker is used by turkey growers, hatcherymen, broiler producers, egg producers and game bird breeders around the world. improvements to the debeaker included a redesigned blade contact area. Contact leads have been eliminated with the use of heavy transformer lead end terminals which provide better blade contact. maintenance is reduced and easier to perform. the previously used carriage hinge has been replaced with pivots mounted low on the center line of the blade. this gives a squared, even cut on the bird's beak.

The DEBEAKER is supplied complete with blade, standard beak support and 6-foot power cord.

- Automation Grade: **Manual**
- Voltage: **Electric Volt: 60-240**
- Warranty: **6 months**
- Packaging Type: **Box packing**
- Usage/Application: **Poultry Farm**
- Country of Origin: **Made in India**

Images



Automatic Debeaker Machine

Poultry Debeaking machine, which is provided with blade, power cord and beak support and is operated easily Usage/Application: Poultry Farm. **The DEBEAKER beak trims and cauterizes in a single operation.** This inhibits bleeding and beak regrowth.

Specification/Additional Details

- Beak Trimming Rate(pcs/hr) standard
- Cutting Blade Temperature 600-800 degree calciols
- Blade Stopping Time 750 to 900 per Hour
- Equipment Use **Brooding**
- Automation Grade **Automatic**
- Dimensions(LXBXH) 14.57 x 8.66 x 7.87 inches

IMAGES



