



Exhaust Fan



54" EXHAUST FAN

Technical Specification:

- Model name : ZZ-1380
- Hammer Fan size : 1380 x 1380 x 400 mm
- Blade Diameter : 1250 mm
- Blade Thickness : SS 430 1.2 mm up frame 1.00 mm & Other 0.8 mm
- Zinc Coating : 275 g/m²
- Motor : 1.5 Hp motor; motor Shutter: galvanize steel ;
0.40-0.45mm Windcollector: galvanize 0.8mm
- Belt : type b, big pulley, motor board belt tensioner
- Air flow : 44000 cbm/h






Exhaust Fan



40" EXHAUST FAN

Technical Specification:

- Model name : ZZ-1000
- Hammer Fan size : 1000 x 1000 x 400 mm
- Blade Diameter : 900 mm
- Blade Thickness : SS 430 1.2 mm up frame 1.00 mm & other 0.8 mm
- Zinc Coating : 275 g/m²
- Motor : 0.75 Hp motor ; motor Shutter: galvanize steel ;
0.40-0.45mm Wind collector: galvanize 0.8mm
- Belt : type b
- Air flow : 30000 cbm/h





Exhaust Fan




ZEN POULTRY & FARMING
HVAC EQUIPMENTS

32" EXHAUST FAN

Technical Specification:

- Model name : ZZ-800
- Hammer Fan size : 800 x 800 x 400 mm
- Blade Diameter : 750 mm
- Blade Thickness : SS 4301.2 mm & All frame 0.8 mm
- Zinc Coating : 275 g/m²
- Motor : Nosch 0.37kw, 220v single phase, ip 55,100%
- wire Shutter : Galvanize steel, 0.40-0.45mm
- Wind collector : galvanize 0.8mm
- Belt : type b
- Air flow : 22000 cbm/h





Exhaust Fan




ZEN POULTRY & FARMING
HVAC EQUIPMENTS

24" EXHAUST FAN

Technical Specification:

- Model name : ZZ-600
- Hammer Fan size : 600 x 600 x 400 mm
- Blade Diameter : 580 mm
- Blade Thickness : SS 430 1.2 mm & All frame 0.8 mm
- Zinc Coating : 275 g/m²
- Motor : direct drive Nosch 0.37kw,
220v single phase, ip 55, 100%
- Copper wire Shutter : Galvanize steel, 0.40-0.45mm
- Wind collector : galvanize 0.8mm
- Belt : type b
- Air flow : 9500cbm/h





Exhaust Fan



ZEN POULTRY & FARMING
HVAC EQUIPMENTS

18" EXHAUST FAN

Technical Specification:

- Model name : ZZ-480
- Hammer Fan size : 480 X 480 X 320 mm
- Blade Diameter : 380 mm
- Blade Thickness : SS 430, thickness 1.2 mm
- Zinc Coating : 275 g/m²
- Motor : 0.25 kw single phase
- Shutter : Galvanise stell, 0.40-0.45mm
- Air flow : 3000 cbm/h





Air Circulation Fan



AIR CIRCULATION FAN

Technical Specification:

- Blade diameter : 500 x 500 x 400 mm
- Motor : 0.12kw, 220v single phase, ip 55, 100%
- Copper wire blade : 1.00mm , 5 blade SS304
- Frame : 1.00 mm Belt SS 304
- Air flow : 6300 cbm/h





Air Circulation Fan




ZEN POULTRY & FARMING
HVAC EQUIPMENTS

AIR CIRCULATION FAN

Technical Specification:


- Hammer Fan size : 400 x 400 x 300 mm
- Motor : 0.12kw, 220v single phase, ip 55, 100%
- Copper wire blade : 1.00mm ,4 blades SS304
- Frame : 1.00 mm Belt SS 304
- Air flow : 5300 cbm/h



ZEN-MULTIPLY-FAN

Technical Specification

- Size: 1380 x1380x450mm
- Air flow: 46100 cbm/h
- Motor: 1.1kw, 380v, three phase, class F,ip 55
- Rpm: 1440 r/min
- Blade: 1270mm, Nylon mixed 30% FRP
- Belt: Mitsubishi / PIX
- Frame: 1.0 mm 275g/sqm hot galvanizes iron



ZEN POULTRY AND FARMING HVAC EQUIPMENTS

GROUND FLOOR, SHOP NO.3, RUDRAKSH BLDG, A.R.CONSTRUCTION, PLOT NO.53A,
SECTOR 03, KARANJADE, PANVEL, Raigad, - 410206

Phone no.: +91-9309575344/+91-8850364700 Email: zen.padfan@gmail.com

Web: www.evaporativecooling-pad.com



Exhaust Fan



54" BUTTERFLY CONE EXHAUST FAN

Technical Specification:

- Butterfly cone Fan Blade : 1270 mm
- Size : 1380 x 1380 x 1300 mm
- Frame : 1.00 mm, Cone 0.7 mm
- Air flow : 51000 cbm/h
- Body : galvanize
- Motor : 1.1 kw, 380v, ip55, class f, 100% copper wire
- Packaging : Fan assembled and Cone disassembled



ZEN POULTRY AND FARMING HVAC EQUIPMENTS

Mumbai Office : Rudraksha office No.03, It No. 53, Karanjade, A.R. Conruction, Dist-RAIGAD, Panvel
Mob : +91 08689928105 / 9309575344 (Whatsapp & Wechat available)
Website : www.eveporativecooling-pad.com
Email Id : zen.padfan@gmail.com



Exhaust Fan Technical Parameters

Product Model	Diameter blade (mm)	Blades rotational speed (r/min)	Motor rotational speed (r/min)	Air flow (m ³ /h)	Total pressure(pa)	Noise decibels	Power (w)	Rated voltage (v)
ZZ-480	305	1490	≥1400	9500	55	≥70	370	380
ZZ-600	580	1490	≥1400	9500	55	≥70	370	380
ZZ-800	710	660	≥1400	22000	60	≥70	370	380
ZZ-1000	900	610	≥1400	30000	70	≥70	550	380
ZZ-1380	1250	439	≥1400	44000	56	≥70	1100	380




+91-9309575344/+91-9309575344/+91-8850364700
zen.padf@n@gmail.com / zenco.sales@gmail.com



ZEN POULTRY & FARMING
HVAC EQUIPMENTS

Exhaust Fan Photo Gallery





ZEN POULTRY AND FARMING HVAC EQUIPMENTS

Mumbai office : Rudraksha Office No.03,Plot No.53A, Karanjade, A.R Construction,Dist - RAIGAD, Panvel - 410206.

Pune office : A3,Niemall Market ,PCNTDA,Chikhali Road, Purnanagar ,Pune=411018.

Mob. : +91 08689928105 / 9309575344 (Whatsapp & WeChat Available)

Website : www.evaporativecooling-pad.com

Email id : zen.padfan@gmail.com

